

Belt conveyors

Inquiry

Order (enclosure)

Sender

Company _____ Department _____ Date _____

Name _____ Fon _____

Street _____ Fax _____

Post code, City, Country _____ eMail _____

Belt conveyors

diameter rolls [mm] 48 64

width [mm] 160 250 320 400 500 600

distance between conveyor centers _____ [m]

belt speed [m/min] 3 5 8 10

belt load _____ [kg/m]

belt type E 3/2 U0/U0

E 8/2 U0/V5

E 8/2 U0/V2H MT*

E 8/2 U0/V20 AR*

E 10/11 U1/U3-NA*

* not for rolls diameter 48 mm

motor position in front on the right

in front on the left

vertical

horizontal

under belt

center

Accessories

protective motor switch yes no

grousers _____ pieces type K10 L35 T20 T60

stays _____ pieces foundation brackets yes no

Other designs on request.



Feeder technology

Inquiry

Order

Personal data

Company _____	Date _____
Name _____	Other contacts _____
Position / Dept. _____	Position / Dept. _____
Street _____	_____
Post Code, City, Country _____	
Fon _____	
Fax _____	
eMail _____	

Internal

Inquiry-No. _____
prepared by / region _____ / _____
Adress- / ASP-No. _____

Project

Type	<input type="checkbox"/> Feeder	<input type="checkbox"/> Feeding system	<input type="checkbox"/> new top	<input type="checkbox"/> _____
Specification	<input type="checkbox"/> no	<input type="checkbox"/> annexed	Version _____	

Parts

Name _____

Condition of the parts (oily, wet, dry, etc.) _____

Material of the parts (Al, Cu, Ms etc.) _____

Samples annexed delivered later not available
(5-10 pcs. in original feeding condition)

Drawings annexed delivered later not available

Rejected parts / other parts / waste are included
 no annexed delivered later not available


Delivery time _____ Quotation until _____

Price idea _____

1. Conveying capacity and position

Conveying capacity parts/min _____

Conveying position when discharging (description) _____



2. Details concerning the rotary oscillating conveyor

Run out direction (seen from the top) right (clockwise)

left (counter clockwise)

Outlet single lane

multilane, center distance _____ mm

Top material Steel

Steel stainless

polished

Glas beads blasting

Filling or storage volume _____ litre

_____ kg load

Refilling period (between two filling-ins) _____ hours (approx.)

Compressed air for part sorting (approx. 4-6 bar) is available

yes

no

Installation place (description) _____

3. Accessories for rotary conveyors

(Point 2 has to be filled in)

Control of the conveying speed is independent of the filling weight	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Top Coating	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> PUR	<input type="checkbox"/> PUR	<input type="checkbox"/> Teflon	<input type="checkbox"/> Brush material
	for oily parts		
Sound absorbing hood	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Service doors for sound absorbing hood	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Substructure	for outlet height _____ mm (approx.)	<input type="checkbox"/>	<input type="checkbox"/>
Level control		<input type="checkbox"/>	<input type="checkbox"/>

4. Structure material feeding system

(Point 2 and 3 have to be filled in)

Base plate	<input type="checkbox"/> Steel	<input type="checkbox"/> Aluminium	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Supporting table			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Linear oscillating conveyor with rail	rail length _____ mm (approx.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Belt conveyor as linear conveyor	transportation distance _____ mm (approx.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
oblique rail with holding fixture (as an alternative to the linear oscillating conveyor)			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Separation			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Handling with gripper			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Refilling bunker	type _____ volume approx. _____ litre	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Filling height allowed _____ mm max.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5. Electricity

without installation
 terminal box
 bus modules
 complete electric control

type _____

6. Pneumatics

Make without standard (Festo) other makes _____

Type single valves Multipole interface _____

type _____

